



Model	Inner Dimension		Outer Dimension		Width		Basic Load Ratings		Limiting Speeds		Weight
	d		D		B		Dynamic	Static	Grease	Oil	Approx.
	mm	inch	mm	inch	mm	inch	Cr(KN)	Cor(KN)	rpm	rpm	kg
6900	10	0.3937	22	0.8661	6	0.2362	2.69	1.27	25000	32000	0.009
6901	12	0.4724	24	0.9449	6	0.2362	2.89	1.46	22000	28000	0.011
6902	15	0.5906	28	1.1024	7	0.2362	4.32	2.25	20000	26000	0.016
6903	17	0.6693	30	1.1811	7	0.2362	4.59	2.55	19000	24000	0.018
6904	20	0.7874	37	1.4567	9	0.3543	6.37	3.68	17000	22000	0.036
6905	25	0.9843	42	1.6535	9	0.3543	6.66	4.18	14000	18000	0.042
6906	30	1.1811	47	1.8504	9	0.3543	7.24	5.01	12000	16000	0.048
6907	35	1.3779	55	2.1653	10	0.3937	10.39	7.16	10000	13000	0.074
6908	40	1.5748	62	2.4409	12	0.4724	13.02	9.2	9500	12000	0.11
6909	45	1.7716	68	2.6771	12	0.4724	13.49	10.13	8500	11000	0.128
6910	50	1.9685	72	2.8346	12	0.4724	13.9	10.99	8000	9500	0.132
6911	55	2.1654	80	3.1496	13	0.5118	14.8	12.68	7500	9000	0.185
6912	60	2.3622	85	3.3465	13	0.5118	15.1	13.4	6700	8000	0.104
6913	65	2.5591	90	3.5433	13	0.5118	19.95	17.5	6300	7500	0.211
6914	70	2.7559	100	3.9370	16	0.6299	25.9	21.8	6000	7000	0.342
6915	75	2.9528	105	4.1339	16	0.6299	26.75	23.55	5600	6700	0.363
6916	80	3.1496	110	4.3307	16	0.6299	27.59	25.2	5300	6300	0.382
6917	85	3.3465	120	4.7244	18	0.7087	31.9	29.7	4800	6000	0.535
6918	90	3.5433	125	4.9213	18	0.7087	32.8	31.5	4500	5600	0.565
6919	95	3.7402	130	5.1181	18	0.7087	33.7	33.3	4300	5300	0.705
6920	100	3.9370	140	5.5118	20	0.7874	39.9	39.1	4000	5000	0.8
6921	105	4.1339	145	5.7087	20	0.7874	41.01	41.41	3800	4800	0.87
6922	110	4.3307	150	5.9055	20	0.7874	42.09	43.53	3600	4500	1.04
6924	120	4.7244	165	6.4961	22	0.8661	55	56.9	3600	4300	1.41
6926	130	5.1181	180	7.0866	24	0.9449	65.1	67.2	3400	4000	1.86
6928	140	5.5118	190	7.4803	24	0.9449	66.5	64.5	3000	3800	1.98
6930	150	5.9055	210	8.2677	28	1.1024	82.1	90.1	2600	3200	3.05
6932	160	6.2992	220	8.6614	28	1.1024	86.6	96	2400	3000	2.75
6934	170	6.6929	230	9.0551	28	1.1024	88.5	100	2000	2800	3.4
6936	180	7.0866	250	9.8425	33	1.2992	128	138	1900	2600	4.6
6938	190	7.4803	260	10.2362	33	1.2992	130	138	1800	2400	5.2
6940	200	7.8740	280	11.0236	38	1.4961	133	155	1700	2200	7.3